

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

714
3

Tobacco Stocks Report

as of July 1, 1947

U. S. DEPARTMENT OF AGRICULTURE
AUG 20 1947
RECEIVED



U. S. DEPARTMENT OF AGRICULTURE
PRODUCTION AND MARKETING ADMINISTRATION

Washington, D. C.
August 14, 1947

CONTENTS

	Page
Discussion - - - - -	1 - 3
Conversion factors for adjusting for losses in weight - - - - -	4
Stocks of leaf tobacco, by types, converted to a FARM-SALES- WEIGHT equivalent- - - - -	5
Production, stocks, supply, disappearance, and price of specified types (FARM-SALES-WEIGHT)- - - - -	6
Stocks of leaf tobacco, by types and groups of grades - - - - -	7 - 14
Stocks of Burley tobacco, by groups and qualities - - - - -	15
Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers - - - - -	16
Stocks of leaf tobacco, summary by types - - - - -	17

EXPLANATION OF GROUP SYMBOLS

GROUPS OF TYPES 11, 12, 13, and 14:

A-Wrappers
B-Leaf and smoking leaf
C-Cutters
X-Lugs and primings
S-Scrap
N-Nondescript

GROUPS OF TYPES 21, 22, 23, and 24:

A-Wrappers
B-Heavy leaf
C-Thin leaf
X-Lugs
S-Scrap
N-Nondescript

GROUPS OF TYPE 31:

A-Wrappers
B-Bright leaf, red leaf, and tips
C-Lugs and cutters
X-Trash and flyings
S-Scrap
N-Nondescript

GROUPS OF TYPE 32:

B-Heavy leaf or dull crop
C-Thin leaf or bright crop
X-Seconds and ground leaves
S-Scrap
N-Nondescript

GROUPS OF TYPES 35, 36, and 37:

A-Wrappers
B-Heavy leaf
C-Thin leaf
X-Lugs
S-Scrap
N-Nondescript

GROUPS OF TYPE 41:

B-Binders or tops
C-Fillers (farm wrappers)
X-Stemming grades
Y-Farm fillers or ground leaves
S-Scrap
N-Nondescript

GROUPS OF TYPES 42, 43, and 44:

C-Fillers (farm wrappers)
X-Stemming grades
Y-Farm fillers or ground leaves
S-Scrap
N-Nondescript

GROUPS OF TYPE 46:

C-Superior
X-Inferior
Y-Defectuosos
S-Scrap (Picadura)
N-Nondescript

GROUPS OF TYPES 51, 52, and 53:

A-Wrappers
B-Binders, seconds, and brokes
C-Fillers and short darks
X-Stemming grades
Y-Sand-leaf fillers or ground leaves
S-Scrap
N-Nondescript

GROUPS OF TYPES 54 and 55:

B-Binders
C-Fillers
X-Stemming grades
Y-Sand-leaf fillers or bottom leaves
S-Scrap
N-Nondescript

GROUPS OF TYPE 56:

B-Binders
C-Fillers
X-Stemming grades
Y-Ground leaves
S-Scrap
N-Nondescript

GROUPS OF TYPES 61 and 62:

A-Wrappers
B-Stout wrappers and binders
C-Fillers or tips
X-Filler brokes
S-Scrap
N-Nondescript

GROUPS OF TYPES 81, 82, and 83:

A-Wrappers
C-Fillers
S-Scrap

STOCKS OF LEAF TOBACCO OWNED BY DEALERS AND MANUFACTURERS

Total Leaf Tobacco Stocks on July 1, 1947
12 Percent Larger Than on July 1 a Year Ago

Stocks of all types ^{1/} of leaf tobacco, converted to the farm-sales-weight equivalent, totaled 3,186 million pounds on July 1, 1947, almost 12 percent above the aggregate holdings on July 1 last year. Tobacco dealers and manufacturers in the United States and Puerto Rico held 2,853 million pounds on July 1, 1946.

During the April-June quarter this year, approximately 60 million pounds of the 1946 crop entered stocks. These additions consisted of Maryland, where the auction markets opened during the second quarter, and fire-cured and cigar-leaf where marketings of the 1946 crop were not completed by April 1. In addition, a considerable part of the 1946-47 Puerto Rican production also entered stocks during this period.

With the exception of Maryland, stocks of all southern types were higher than on July 1, 1946. Flue-cured holdings increased around 12 percent, Burley 11 percent, fire-cured 30 percent, and dark air-cured 14 percent. For the cigar-leaf tobaccos, stocks of the filler and wrapper types were below a year ago. However, holdings of the binder types, except Connecticut Havana Seed, were larger than on July 1 last year. Stocks on July 1, 1947, of Cuban (Havana) and foreign-grown cigarette and smoking tobacco (Turkish and other) increased around 50 and 25 percent respectively compared with July 1, 1946.

1/ Figures quoted for type totals in this summary are the farm-sales-weight equivalent of reported stocks except foreign-grown leaf which is converted to an unstemmed equivalent basis only. Figures quoted in comments of reports prior to July 1, 1946, were on a reported weight basis. Tables in the body of the report show stocks on a farm-sales-weight basis; stocks in detail on a reported weight basis, subdivided according to recognized groupings; and stocks owned by dealers and manufacturers, separately.

2/ The general instructions for filing the tobacco stocks reports, required of dealers and manufacturers by the United States Department of Agriculture, specify that the report shall be made as of the opening of business on the first day of each quarter.

CIGARETTE-LEAF STOCKS

Flue-cured, Burley, and Turkish Stocks up from Year Ago Marketing of Record 1946 Maryland Crop Began During Quarter

Stocks of flue-cured tobacco on July 1, totaled 1,287 million pounds compared with 1,147 million on the same date a year earlier. This was an increase of 140 million pounds, but flue-cured holdings were considerably below the peak figure of 1,593 million pounds held on July 1, 1941. Disappearance of flue-cured tobacco during the past marketing year, July 1946-June 1947, amounted to 1,213 million pounds as against 1,152 for the previous year. This is the greatest flue-cured disappearance for any marketing year. Exports accounted for approximately 550 million pounds of the disappearance during the past year compared with 486 million exported the previous year. The supply for the 1947-48 marketing year is now estimated at 2,565 million pounds.

Burley stocks were 1,091 million pounds, an increase of 108 million over July 1, 1946. Stocks of Burley tobacco have risen sharply during the past three years.

Sales of the record 1946 production of Maryland tobacco, estimated to be 40.5 million pounds, began on April 22, and about 17.8 million pounds were marketed prior to July 1. Maryland leaf stocks were 35 million pounds compared with 37.7 million on July 1, 1946. Holdings of this type were up 9.2 million pounds over April 1, 1947.

Foreign-grown cigarette and smoking tobacco (Turkish and other) on July 1, 1947, amounted to 121.5 million pounds, an increase of 26.4 million over a year ago and the largest stocks of Type 90 on record. During the second quarter this year, the inventory of this type increased 8.8 million pounds.

DARK TOBACCO STOCKS

Stocks of All Fire-cured and Dark Air-cured Types Larger Than on Last July 1

On July 1, 1947, fire-cured leaf stocks were 161 million pounds. This figure was well above the 124 million pounds held on July 1 a year ago. The increase can be accounted for chiefly by the large 1946 crop, and the lag in exports compared with the corresponding period a year earlier. Stocks of Virginia fire-cured were 25.8 million pounds, Eastern District 96.7 million, Western District 38.3 million, and Henderson Stemming 0.2 million. Marketing of the 1946 crop of the Eastern and Western District types was not completed until the second quarter this year and around 12 million pounds were sold after April 1.

Dark air-cured holdings totaled 82 million pounds this July 1 for a gain of 10 million over July 1, 1946. One Sucker stocks were 46 million pounds, Green River 31.3 million, and Virginia sun-cured 4.7 million.

CIGAR LEAF STOCKS

Stocks of Cigar Binder Above July 1, 1946; Filler and Wrapper Down
Cuban Up Sharply

Stocks of the cigar-leaf types on July 1, 1947, were 367.5 million pounds (farm-sales-weight) of domestic types including Puerto Rican, and 38.3 million pounds of foreign-grown cigar leaf. The corresponding figures on July 1, 1946, were 365.8 million pounds and 25.8 million respectively. The total for foreign-grown leaf does not include Sumatra and Java held in the Free Trade Zone.

Stocks of all the filler types declined from levels on hand July 1 last year. Total holdings of cigar-filler leaf were 218.6 million pounds this July 1 as against 234.1 million a year ago. The filler stocks were divided as follows: Pennsylvania Seedleaf, 113.7 million pounds, the Ohio filler types, 25.8 million and Puerto Rican, 79.1 million of which 32.5 million were held on the Island. Most of the 1946-47 crop of Puerto Rican, estimated at around 23.5 million pounds, had entered stocks by July 1.

Stocks of the cigar-binder types increased 17.6 million pounds over July 1 last year, with holdings this July 1 totaling 135.7 million pounds. Larger Northern Wisconsin leaf stocks accounted for the bulk of this increase. However, with the exception of Connecticut Havana Seed, holdings of all binder types were greater than on July 1, 1946. The quantities held by types were: 31 million pounds of Connecticut Valley Broadleaf; 19.8 million of Connecticut Valley Havana Seed; 2.9 million of New York and Pennsylvania Havana Seed; 38.2 million of Southern Wisconsin; 43.5 million of Northern Wisconsin; and 0.3 million of Georgia and Florida Binder. For the Wisconsin types, a considerable amount of the 1946 crop was delivered during the April-June quarter this year. Stocks of both types were larger than on April 1, 1947.

The collective holdings of Shade-grown wrapper tobacco totaled 13.2 million pounds, compared with 13.6 million on July 1 a year ago. Stocks of Connecticut Valley Shade were 10.0 million pounds, and Georgia and Florida Shade 3.2 million pounds.

The disappearance for the shade-grown wrapper types is based on stocks held July 1. Disappearance of Connecticut Shade in the 1946-47 year reached 8.8 million pounds, compared with 7.6 million the previous marketing year. For Georgia and Florida shade, disappearance amounted to 4.0 million pounds, as against 4.7 million the previous 12 months.

Stocks of Cuban (Havana) leaf on hand on July 1, 1947, were 36.6 million pounds -- slightly higher than on April 1 this year and 12.4 million above the figure for July 1, 1946. Philippine Islands (Manila) increased from 8 thousand pounds a year ago to over 600 thousand pounds. Holdings of Sumatra and Java totaled 1.0 million pounds, and other foreign-grown cigar leaf, 0.1 million pounds.

Table 1.-Average percentage of weight remaining after handling, sweating, drying and stemming for all types of tobacco and factors used for adjusting stocks reported by dealers and manufacturers to a farm-sales weight equivalent $\frac{1}{1}$

SOUTHERN TYPES (11-37)

Type	No.	Yield realized from farm-sales weight to:				Stemming				Factors used to multiply by	
		Packed in domestic order		To the end of:		Packed		Yield from:		to convert reported stocks	
		Percent	Percent	One year	Two years	Weight	Export	Actual	Yield from	Stemmed	Unstemmed
				in storage	in storage		order	weight	at farm-sales	stocks to	farm-sales
									time of	unstemmed	weight equiv-
									operation	equivalent	alent $\frac{2}{1}$
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Flue-cured	11-14:	90.0	89.1	88.7	88.0	88.0	88.0	78.0	69.0	1.282	1.12
Virginia fire-cured	21:	85.0	84.2	83.4	83.0	83.0	83.0	77.0	64.0	1.18	1.12
Tenn. and Ky. fire-cured	22-23:	98.5	94.6	92.7	91.8	95.0	95.0	76.0	69.5	1.299	1.04
Henderson Stemming	24:	90.0	87.3	86.0	85.1	86.0	86.0	76.0	64.5	1.316	1.125
Burley	31:	90.0	88.2	87.3	86.4	89.0	89.0	74.0	64.0	1.351	1.12
Southern Maryland	32:	100.0	94.1	93.2	92.0	100.0	100.0	74.0	69.0	1.351	1.02
One Sucker	35:	92.0	88.8	87.9	87.0	90.0	90.0	70.0	61.5	1.429	1.09
Green River	36:	90.0	87.3	86.0	85.1	86.0	86.0	76.0	64.5	1.316	1.13
Virginia sun-cured	37:	89.0	88.1	87.2	86.8	85.0	85.0	76.0	66.0	1.316	1.13

CIGAR LEAF TYPES (41-62)

Type	No.	Yield realized from farm-sales weight to:				Stemming				Factors used to multiply by	
		Packed		To the end of:		Packed		Yield from:		to convert reported stocks	
		Percent	Percent	One year	Two years	Weight	Export	Actual	Yield from	Stemmed	Unstemmed
				in storage	in storage		order	weight	at farm-sales	stocks to	farm-sales
									time of	unstemmed	weight equiv-
									operation	equivalent	alent $\frac{2}{1}$
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Pennsylvania Seedleaf	41:	97.3	86.0	84.0	82.0	80.6	80.6	72.0	58.0	1.387	1.11
Gabhardt	42:	3/	85.6	83.3	80.9	79.3	79.3	73.0	58.0	1.370	1.12
Zimmer	43:	3/	85.4	83.0	80.8	78.9	78.9	71.5	56.5	1.401	1.13
Dutch	44:	3/	86.5	84.1	81.7	80.0	80.0	70.5	56.5	1.418	1.15
Puerto Rico	46:	88.0	87.1	83.6	82.0	—	—	78.5	64.5	1.275	1.17
Connecticut Broadleaf	51:	97.0	87.4	85.4	83.1	81.1	81.1	77.5	62.5	1.292	1.07
Connecticut Havana Seed	52:	97.0	87.4	85.0	83.1	81.2	81.2	77.0	62.5	1.299	1.07
N. Y. & Pa. Havana Seed	53:	91.0	84.6	82.9	80.9	79.7	79.7	73.5	58.5	1.364	1.135
Southern Wisconsin	54:	96.3	83.1	81.5	79.1	77.9	77.9	77.0	59.5	1.300	1.06
Northern Wisconsin	55:	93.7	83.8	82.4	80.6	79.2	79.2	75.0	59.0	1.333	1.085
Ga. & Fla. Sun-grown	56:	82.5	80.8	78.8	77.2	75.7	75.7	78.5	59.0	1.275	1.245
Connecticut Shade	61:	91.1	86.7	84.4	83.0	83.0	83.0	81.5	67.5	1.224	1.135
Ga. & Fla. Shade	62:	89.1	87.3	84.5	82.3	80.6	80.6	83.0	67.0	1.205	1.16

MISCELLANEOUS DOMESTIC AND FOREIGN-GROWN TYPES (71-90)

Type	No.	Yield realized from farm-sales weight to:				Stemming				Factors used to multiply by	
		Packed		To the end of:		Packed		Yield from:		to convert reported stocks	
		Percent	Percent	One year	Two years	Weight	Export	Actual	Yield from	Stemmed	Unstemmed
				in storage	in storage		order	weight	at farm-sales	stocks to	farm-sales
									time of	unstemmed	weight equiv-
									operation	equivalent	alent $\frac{2}{1}$
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Miscellaneous Domestic	71-73:	—	—	—	—	—	—	75.0	—	1.333 $\frac{4}{1}$	1.09 $\frac{4}{1}$
Foreign-grown cigar leaf	81-84:	—	—	—	—	—	—	83.0	—	1.205 $\frac{4}{1}$	5/
Foreign-grown cigarette	90:	—	—	—	—	—	—	83.0	—	1.205 $\frac{4}{1}$	5/

$\frac{1}{1}$ Information in this table taken from U. S. Department of Agriculture Circular 435. Tobacco shrinkages and losses in weight in handling and storage, issued in July 1937. $\frac{2}{2}$ Factors for converting unstemmed stocks to farm-sales weight are adjusted on the basis of an average loss on the reported weight and should not be taken as indicative of full shrinkage after handling, sweating and storage.

$\frac{3}{3}$ Ohio-Miami Valley filler types of tobacco packed in cases by growers before delivery. $\frac{4}{4}$ Tentative factor. $\frac{5}{5}$ Factor has not been determined.

Table 2.-Stocks of leaf tobacco owned by dealers and manufacturers, by types, converted to a farm-sales weight equivalent, July 1, 1947, compared with other quarters 1/

FARM-SALES WEIGHT

Type name	U.S. type number	July 1			April 1	January 1	October 1
		1947	1946	1945	1947	1947	1946
		1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Flue-cured	11-14	1,286,840	1,147,358	1,126,283	1,541,643	1,729,701	1,495,211
Virginia fire-cured	21	25,762	21,186	28,148	28,158	17,471	17,582
Tennessee and Kentucky fire-cured (Eastern District)	22	96,732	78,737	102,546	96,068*	55,971	68,077
Kentucky and Tennessee fire-cured (Western District)	23	38,343	24,065	35,854	37,984*	16,520	19,155
Henderson Stemming	24	169	86	93	164	123	94
Total fire-cured	21-24	161,006	124,074	166,641	162,374*	90,085	104,908
Burley	31	1,090,831	982,892	880,608	1,206,320	920,698	853,285
Southern Maryland	32	34,999	37,722	44,197	25,811*	32,382	40,292
Total light air-cured	31-32	1,125,830	1,020,614	924,805	1,232,131*	953,080	893,577
One Sucker	35	45,990	41,027	35,560	52,286*	36,948	32,842
Green River	36	31,322	27,405	29,305	33,726	29,601	24,784
Virginia sun-cured	37	4,667	3,570	4,125	4,945	2,635	2,819
Total dark air-cured	35-37	81,979	72,002	68,990	90,957*	69,184	60,445
Pennsylvania Seedleaf	41	113,671	117,720	117,876	118,137*	84,971	101,223
Gebhardt (Ohio-Miami Valley)	42	14,986	15,392	18,645	15,413	14,111	13,748
Zimmer (Ohio-Miami Valley)	43	6,928	11,159	12,336	7,451	6,998	10,167
Dutch (Ohio-Miami Valley)	44	3,849	3,975	5,407	4,255	4,210	3,614
Puerto Rican:							
In United States	46	46,651	43,931	32,455	49,559*	47,949	41,569
In Puerto Rico	46	32,478	41,912	53,344	26,861*	22,647	36,729
Total cigar filler	41-46	218,563	234,089	240,063	221,676*	180,886	207,050
Connecticut Broadleaf	51	31,003	26,547	25,898	32,069*	27,514	24,260
Connecticut Havana Seed	52	19,764	19,857	22,451	23,106*	21,376	15,997
N.Y. and Pa. Havana Seed	53	2,862	2,413	3,404	3,095*	1,145	2,042
Southern Wisconsin	54	38,224	37,057	31,393	35,046*	27,885	32,670
Northern Wisconsin	55	43,528	32,022	34,056	40,446*	23,661	28,406
Georgia and Florida sun-grown	56	298	161	300	360	295	324
Total cigar binder	51-56	135,679	118,057	117,502	134,122*	101,866	103,699
Connecticut shade	61	10,044	10,122	10,150	12,294*	14,884	10,410
Georgia and Florida shade	62	3,202	3,501	4,538	4,233*	5,542	6,335
Total cigar wrapper	61-62	13,246	13,623	14,688	16,527*	20,426	16,745
Eastern Ohio	71	63	89	199	62	70	71
Perique	72	681	785	615	776*	838	796
Other Miscellaneous Domestic 2/	73	2,592	1,695	1,345	2,706*	2,423	2,028
Total Miscellaneous Domestic	71-73	3,336	2,569	2,159	3,544*	3,331	2,895
Cuba (Havana) 3/	81	36,579	24,182	23,377	35,958*	34,822	24,673
Sumatra and Java 3/ 4/	82	1,022	1,425	2,721	1,033	1,027	1,209
Philippine Islands (Manila) 3/	83	610	8	53	445	486	89
Other foreign-grown cigar-leaf 3/	84	63	145	216	149*	161	128
Total foreign-grown cigar leaf 3/	81-84	38,274	25,760	26,367	37,586*	36,496	26,099
Foreign-grown cigarette and 3/ smoking tobacco (Turkish & other)	90	121,518	95,110	78,286	112,734*	96,587	86,896
Total all types	11-90	3,186,271	2,853,256	2,765,784	3,553,193*	3,281,642	2,997,525

1/ For factors used in converting weights, see table 1. July 1, 1947 figures subject to revision.

2/ For explanation of stocks included in this classification, see footnote 6 on page 14.

3/ Foreign-grown leaf is converted to an unstemmed equivalent basis only.

4/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.

* Revisions in April 1 report.

Table 3.-Production, stocks, supply, disappearance on a farm-sales-weight basis, and price of specified types, 1942-47 ^{1/}

FLUE-CURED, TYPES 11-14

Marketing year beginning July 1	Production	Carry-over (stocks July 1)	Total supply	Disappearance (supply less carry-over following year)	Average price to growers
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	Cents
1942	811,690	1,459,512	2,271,202	892,429	38.4
1943	790,162	1,378,773	2,168,935	980,110	40.2
1944	1,087,290	1,188,825	2,276,115	1,149,832	42.4
1945	1,173,459	1,126,283	2,299,742	1,152,384	43.6
1946	1,352,024	1,147,358	2,499,382	^{2/} 1,212,542	48.3
1947	^{3/} 1,278,055	^{2/} 1,286,840	^{2/} 2,564,895		

GEORGIA AND FLORIDA SUN-GROWN, TYPE 56

1942	800	1,556	2,356	1,208	17.4
1943	249	1,148	1,397	748	22.0
1944	120	649	769	469	27.0
1945	186	300	486	325	33.0
1946	210	161	371	^{2/} 73	55.0
1947	^{3/} 220	^{2/} 298	^{2/} 518		

CONNECTICUT SHADE, TYPE 61

1942	5,644	8,539	14,183	5,832	150.0
1943	6,324	8,351	14,675	5,900	185.0
1944	7,735	8,775	16,510	6,360	220.0
1945	7,572	10,150	17,722	7,600	220.0
1946	8,725	10,122	18,847	^{2/} 8,803	230.0
1947	^{3/} 9,626	^{2/} 10,044	^{2/} 19,670		

GEORGIA AND FLORIDA SHADE, TYPE 62

1942	3,598	4,671	8,269	3,583	104.0
1943	3,696	4,686	8,382	2,844	138.0
1944	3,555	5,538	9,093	4,555	144.0
1945	3,642	4,538	8,180	4,679	150.0
1946	3,677	3,501	7,178	^{2/} 3,976	220.0
1947	^{3/} 4,485	^{2/} 3,202	^{2/} 7,687		

^{1/} Annual disappearance for a type is calculated for the marketing year established for that type, the year beginning on the quarterly reporting date on which stocks of the type are at their lowest point and before the new crop enters stocks.

^{2/} Subject to revision.

^{3/} July 1 estimate, U. S. Crop Reporting Board.

Table 4.--Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1947, compared with April 1, 1947
(REPORTED WEIGHT)

Type 11, Old and Middle Belt flue-cured

Group	July 1, 1947 1/			April 1, 1947		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	5,341	3	5,344	5,808*	7	5,815*
B	86,137	5,665	91,802	106,883*	8,753*	115,636*
C	98,312	29,354	127,666	120,219	30,317	150,536
X	164,072	33,222	197,294	193,118	33,501*	226,619*
S	4,395	5,270	9,665	6,296	4,881	11,177
N	2,651	603	3,254	3,657	475	4,132
Total	360,908	74,117	435,025	435,981*	77,934*	513,915*

Type 12, Eastern North Carolina flue-cured

A	2,056	932	2,988	331	-	331
B	27,932	6,992	34,924	42,921*	12,060	54,981*
C	97,673	30,949	128,622	125,314	33,656	158,970
X	133,220	32,573	165,793	159,955	35,358	195,313
S	5,528	2,338	7,866	6,244	2,124	8,268
N	3,004	190	3,194	3,343	264	3,607
Total	269,413	73,974	343,387	338,108*	83,362	421,470*

Type 13, South Carolina flue-cured (including southeastern North Carolina)

A	791	-	791	929	-	929
B	18,324	2,846	21,170	25,419	6,006	31,425
C	58,392	8,277	66,669	70,503	7,036	77,539
X	97,549	21,105	118,654	116,639	23,766	140,405
S	2,489	830	3,319	3,000	922	3,922
N	2,031	80	2,111	2,573	106	2,679
Total	179,576	33,138	212,714	219,063	37,836	256,899

Type 14, Georgia and Florida flue-cured

A	-	-	-	1	-	1
B	3,595	3,556	7,151	5,168	5,601	10,769
C	3,619	34,854	38,473	4,766	40,640	45,406
X	12,898	26,870	39,768	17,693	29,140	46,833
S	338	813	1,151	493	848	1,341
N	623	723	1,346	906*	925	1,831*
Total	21,073	66,816	87,889	29,027*	77,154	106,181*

Types 11-14, Total flue-cured

A	8,188	935	9,123	7,069*	7	7,076*
B	135,988	19,059	155,047	180,391*	32,420*	212,811*
C	257,996	103,434	361,430	320,802	111,649	432,451
X	407,739	113,770	521,509	487,405	121,765*	609,170*
S	12,750	9,251	22,001	16,033	8,675	24,708
N	8,309	1,596	9,905	10,479*	1,770	12,249*
Total	830,970	248,045	1,079,015	1,022,179*	276,286*	1,298,465*

See footnotes at end of table.

Continued -

Table 4.--Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1947, compared with April 1, 1947 - Cont'd.
(REPORTED WEIGHT)

Type 21, Virginia fire-cured

Group	July 1, 1947 1/			April 1, 1947		
	Unstemmed :	Stemmed :	Total :	Unstemmed :	Stemmed :	Total :
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	504	-	504	474	6	480
B	9,316	69	9,385	10,381	78	10,459
C	2,623	-	2,623	2,548	-	2,548
X	8,471	333	8,804	9,500	392	9,892
S	325	-	325	268	-	268
N	24	36	60	24	38	62
Total	21,263	438	21,701	23,195	514	23,709

Type 22, Tennessee and Kentucky fire-cured (Eastern District)

A	7,838	25	7,863	9,336	18	9,354
B	50,245	122	50,367	49,080*	392	49,472*
C	9,126	167	9,293	12,209	77	12,286
X	24,144	-	24,144	18,907	-	18,907
S	801	36	837	1,166	61	1,227
N	397	-	397	954	-	954
Total	92,551	350	92,901	91,652*	548	92,200*

Type 23, Kentucky and Tennessee fire-cured (Western District)

A	165	-	165	144	1	145
B	22,390	59	22,449	21,110	13	21,123
C	6,282	7	6,289	6,603	-	6,603
X	7,105	125	7,230	7,523*	127	7,650*
S	139	-	139	127	5	132
N	536	-	536	824	-	824
Total	36,617	191	36,808	36,331*	146	36,477*

Type 24, Henderson Stemming

A	-	-	-	1	-	1
B	-	-	-	18	-	18
C	30	-	30	43	-	43
X	29	-	29	41	-	41
S	51	25	76	37	-	37
N	7	-	7	6	-	6
Total	117	25	142	146	-	146

Types 21-24, Total fire-cured

A	8,507	25	8,532	9,955	25	9,980
B	81,951	250	82,201	80,589*	483	81,072*
C	18,061	174	18,235	21,403	77	21,480
X	39,749	458	40,207	35,971*	519	36,490*
S	1,316	61	1,377	1,598	66	1,664
N	964	36	1,000	1,808	38	1,846
Total	150,548	1,004	151,552	151,324*	1,208	152,532*

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1947, compared with April 1, 1947 - Cont'd.
(REPORTED WEIGHT)

Type 31, Burley 2/

Group	July 1, 1947 1/			April 1, 1947		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	2,179	-	2,179	2,386	-	2,386
B	319,830	50,313	370,143	347,896*	51,655	399,551*
C	320,515	52,743	373,258	363,101	55,457*	418,558*
X	157,387	13,036	170,423	182,887	13,638	196,525
S	6,274	7,014	13,288	6,910*	6,486	13,396*
N	1,452	2	1,454	1,992	2	1,994
Total	807,637	123,108	930,745	905,172*	127,238*	1,032,410*

Type 32, Southern Maryland

B	3,098	157	3,255	1,400*	8	1,408*
C	13,241	9,085	22,326	10,067*	6,990*	17,057*
X	3,174	114	3,288	3,439*	138	3,577*
S	299	495	794	382	265	647
N	1,192	-	1,192	18	-	18
Total	21,004	9,851	30,855	15,306*	7,401*	22,707*

Type 35, One Sucker

A	1,429	-	1,429	2,061	-	2,061
B	13,610	19	13,629	15,446*	19	15,465*
C	9,504	-	9,504	13,022	23	13,045
X	13,399	606	14,005	13,942	600	14,542
S	741	-	741	1,124	-	1,124
N	2,434	128	2,562	1,274	128	1,402
Total	41,117	753	41,870	46,869*	770	47,639*

Type 36, Green River

A	6	-	6	10	-	10
B	12,144	213	12,357	13,213	370	13,583
C	2,094	20	2,114	2,453	-	2,453
X	11,159	918	12,077	11,546	986	12,532
S	147	-	147	137	6	143
N	556	75	631	596	75	671
Total	26,106	1,226	27,332	27,955	1,437	29,392

Type 37, Virginia sun-cured

A	75	-	75	64	-	64
B	823	59	882	903	60	963
C	548	331	879	575	349	924
X	2,043	23	2,066	2,157	33	2,190
S	93	1	94	90	1	91
N	3	-	3	3	1	4
Total	3,585	414	3,999	3,792	444	4,236

See footnotes at end of table.

Continued --

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1947, compared with April 1, 1947 - Cont'd.
(REPORTED WEIGHT)

Types 35-37, Total dark air-cured

Group	July 1, 1947 1/			April 1, 1947		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	1,510	-	1,510	2,135	-	2,135
B	26,577	291	26,868	29,562*	449	30,011*
C	12,146	351	12,497	16,050	372	16,422
X	26,601	1,547	28,148	27,645	1,619	29,264
S	981	1	982	1,351	7	1,358
N	2,993	203	3,196	1,873	204	2,077
Total	70,808	2,393	73,201	78,616*	2,651	81,267*

Type 41, Pennsylvania Seedleaf

B	4,274	24	4,298	4,845*	18	4,863*
C	76,407	2,870	79,277	81,219	3,077*	84,296*
X	9,778	1,244	11,022	10,321	656	10,977
Y	3,529	838	4,367	2,809	556	3,365
S	48	1,020	1,068	93	837*	930*
N	8	33	41	7	1*	8*
Total	94,044	6,029	100,073	99,294*	5,145*	104,439*

Type 42, Gebhardt, (Ohio-Miami Valley)

C	8,623	29	8,652	8,864*	162	9,026*
X	1,208	142	1,350	1,092	156	1,248
Y	2,293	673	2,966	2,440	653	3,093
S	47	30	77	1	25	26
N	12	-	12	-	-	-
Total	12,183	874	13,057	12,397*	996	13,393*

Type 43, Zimmer, (Ohio-Miami Valley)

C	2,773	2	2,775	3,054	9	3,063
X	1,380	77	1,457	1,417	122	1,539
Y	876	673	1,549	934	-	934
S	20	20	40	7	713	720
Total	5,049	772	5,821	5,412	844	6,256

Type 44, Dutch, (Ohio-Miami Valley)

C	2,575	55	2,630	2,723	53	2,776
X	267	19	286	329	13	342
Y	339	1	340	473	5	478
S	14	105	119	5	130	135
N	-	1	1	-	1	1
Total	3,195	181	3,376	3,530	202	3,732

See footnotes at end of table.

Continued -

Table 4.--Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1947, compared with April 1, 1947 - Cont'd.
(REPORTED WEIGHT)

Type 46, Puerto Rican (In Continental United States)

Group	July 1, 1947 1/			April 1, 1947		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
C	15	24,246	24,261	41	25,797*	25,838*
X	3,056	1,720	4,776	3,695	789	4,484
Y	656	66	722	746	38	784
S	115	1,680	1,795	1,559*	1,857*	3,416*
N	698	-	698	4	-	4
Total	4,540	27,712	32,252	6,045*	28,481*	34,526*

Type 46, Puerto Rican (In Puerto Rico)

C	11,199	978	12,177	8,140	2,414	10,554
X	4,996	2,098	7,094	2,518	2,854	5,372
Y	5,352	1,022	6,374	3,116*	1,022	4,138*
S	27	714	741	11	898	909
N	15	27	42	6	2	8
Total	21,589	4,839	26,428	13,791*	7,190	20,981*

Type 46, Total Puerto Rican

C	11,214	25,224	36,438	8,181	28,211*	36,392*
X	8,052	3,818	11,870	6,213	3,643	9,856
Y	6,008	1,088	7,096	3,862*	1,060	4,922*
S	142	2,394	2,536	1,570*	2,755*	4,325*
N	713	27	740	10	2	12
Total	26,129	32,551	58,680	19,836*	35,671*	55,507*

Type 51, Connecticut Broadleaf

A	1,355	4	1,359	1,241*	2	1,243*
B	21,940	128	22,068	23,273*	164*	23,437*
C	602	-	602	582	-	582
X	4,161	123	4,284	3,928	192	4,120
Y	10	67	77	9	-	9
S	39	350	389	47	330*	377*
N	-	-	-	-	2	2
Total	28,107	672	28,779	29,080*	690*	29,770*

Type 52, Connecticut Havana Seed

A	3,546	4	3,550	3,907	6	3,913
B	10,634	137	10,771	13,329*	52	13,381*
C	47	-	47	396	3*	399*
X	3,598	134	3,732	3,411	136	3,547
Y	12	101	113	16	98	114
S	6	105	111	6	108*	114*
N	3	-	3	6	-	6
Total	17,846	481	18,327	21,071*	403*	21,474*

See footnotes at end of table.

Continued -

Table 4.--Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1947, compared with April 1, 1947 -- Cont'd. (REPORTED WEIGHT)

Type 53, New York and Pennsylvania Havana Seed

Group	July 1, 1947 1/			April 1, 1947		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	32	-	32	4	-	4
B	582	2	584	246*	2	248*
C	609	-	609	1	1	2
X	1,210	31	1,241	2,346	23	2,369
S	-	32	32	3	42	45
N	-	-	-	-	25	25
Total	2,433	65	2,498	2,600*	93	2,693*

Type 54, Southern Wisconsin

B	8,951	47	8,998	10,609*	52	10,661*
C	2,401	19	2,420	641	20	661
X	22,962	994	23,956	19,795	1,115	20,910
Y	93	168	261	198	163	361
S	4	40	44	2	45	47
N	1	-	1	3	-	3
Total	34,412	1,268	35,680	31,248*	1,395	32,643*

Type 55, Northern Wisconsin

B	22,117	83	22,200	22,849	61	22,910
C	620	63	683	562	68*	630*
X	16,470	311	16,781	13,047	352	13,399
S	128	125	253	17	115	132
N	7	-	7	8	-	8
Total	39,342	582	39,924	36,483	596*	37,079*

Type 56, Georgia and Florida sun-grown

B	231	6	237	285	3	288
Total	231	6	237	285	3	288

Type 61, Connecticut Shade

A	8,398	58	8,456	9,806*	18	9,824*
B	145	5	150	430*	6	436*
C	16	1	17	120	1	121
X	15	-	15	7	-	7
S	3	139	142	4	342*	346*
N	24	-	24	16	-	16
Total	8,601	203	8,804	10,383*	367*	10,750*

Type 62, Georgia and Florida Shade

A	2,555	35	2,590	3,512*	10	3,522*
B	65	1	66	58*	-	58*
C	4	-	4	3*	-	3*
X	27	-	27	28	-	28
S	2	35	37	2	13	15
N	11	9	20	11	6	17
Total	2,664	80	2,744	3,614*	29	3,643*

See footnotes at end of table.

Continued -

Table 4.--Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1947, compared with April 1, 1947 - Cont'd.
(REPORTED WEIGHT)

SUMMARY ALL CIGAR TOBACCO 3/

July 1, 1947

Group	Filler Types 41-46 4/	Binder Types 51-56	Wrapper Types 61-62	Foreign Types 81-84 5/	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	-	4,941	11,046	1,611	17,598
B	4,298	64,858	216	-	69,372
C	129,772	4,361	21	24,507	158,661
X	25,985	49,994	42	-	76,021
Y	16,318	451	-	-	16,769
S	3,840	829	179	6,914	11,762
N	794	11	44	-	849
Total	181,007	125,445	11,548	33,032	351,032

April 1, 1947

A	-	5,160*	13,346*	1,862*	20,368*
B	4,863*	70,925*	494*	-	76,282*
C	135,553*	2,274*	124*	22,934*	160,885*
X	23,962	44,345	35	-	68,342
Y	12,792*	484	-	-	13,276*
S	6,136*	715*	361*	7,786*	14,998*
N	21	44	33	-	98*
Total	183,327*	123,947*	14,393*	32,582*	354,249*

Type 71, Eastern Ohio

	July 1, 1947 1/				April 1, 1947		
	Unstemmed	Stemmed	Total		Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.		1,000 lb.	1,000 lb.	1,000 lb.
Total	50	6	56		50	5	55

Type 72, Perique

Total	-	469	469	-	534*	534*
-------	---	-----	-----	---	------	------

Type 73, Other miscellaneous domestic 6/

Total	119	1,695	1,814	189	1,721*	1,910*
-------	-----	-------	-------	-----	--------	--------

Types 71-73, Total miscellaneous domestic

Total	169	2,170	2,339	239	2,260*	2,499*
-------	-----	-------	-------	-----	--------	--------

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1947, compared with April 1, 1947 - Cont'd.
(REPORTED WEIGHT)

Type 81, Cuba (Havana)

Group	July 1, 1947 1/			April 1, 1947		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	557	38	595	816*	31	847*
C	4,380	19,966	24,346	5,064*	17,692*	22,756*
S	871	5,532	6,403	766	6,602*	7,368*
Total	5,808	25,536	31,344	6,646*	24,325*	30,971*

Type 82, Sumatra and Java 7/

A	1,016	-	1,016	1,014	1	1,015
C	-	-	-	-	2	2
S	-	5	5	-	13	13
Total	1,016	5	1,021	1,014	16	1,030

Type 83, Philippine Islands (Manila)

C	97	1	98	32	2	34
S	479	27	506	377	28	405
Total	576	28	604	409	30	439

Type 84, Other foreign-grown cigar-leaf

Total	61	2	63	107*	35	142*
-------	----	---	----	------	----	------

Type 90, Foreign-grown cigarette and smoking tobacco (Turkish and other)

Total	121,513	-	121,513	112,734*	-	112,734*
-------	---------	---	---------	----------	---	----------

Types 11-90, Total all types

Total	2,234,351	455,906	2,740,257	2,568,979*	487,884*	3,056,863*
-------	-----------	---------	-----------	------------	----------	------------

1/ Subject to revision.

2/ See Supplementary Burley report on page 15.

3/ Most of the stocks in the X and Y groups will go into scrap chewing manufacture as well as part of that included in the scrap group.

4/ Includes Puerto Rican on the Island, Type 46.

5/ Type 84, -Other foreign-grown all shown in the C group.

6/ Although Type 73 is defined as all domestic types of tobacco not otherwise classified, the bulk of the stocks reported in this type consists of cuttings, clippings, and trimmings. This is the result, in most instances, of the inability of reporters to designate cuttings, clippings, and trimmings in the "S" group of the types to which they properly belong.

7/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.

* Revisions in April 1 report.

Table 5. Stocks of Burley tobacco, by groups and qualities, owned by dealers and manufacturers, July 1, 1947, compared with April 1, 1947
(REPORTED WEIGHT)

Group and quality	July 1, 1947 ^{1/}			April 1, 1947		
	Unstemmed:	Stemmed:	Total	Unstemmed :	Stemmed:	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A-Wrappers	2,179	-	2,179	2,386	-	2,386
B-Bright leaf:						
Choice to fine	17,784	428	18,212	20,201	1,101	21,302
Medium or good	54,873	4,506	59,379	59,117	3,836	62,953
Fair to common	32,761	29,906	62,667	32,535	32,019	64,554
Total	105,418	34,840	140,258	111,853	36,956	148,809
B-Red Leaf (including green):						
Choice to fine	10,249	369	10,618	11,552	438	11,990
Medium or good	44,829	5,722	50,551	58,756*	5,263	64,019*
Fair to common	35,022	2,482	37,504	28,441	3,029	31,470
Total	90,100	8,573	98,673	98,749*	8,730	107,479*
B-Tips:						
Medium or good	59,684	4,403	64,087	64,695	3,985	68,680
Fair to common	64,628	2,497	67,125	72,599	1,984	74,583
Total	124,312	6,900	131,212	137,294	5,969	143,263
Total bright leaf, Red leaf, and tips	319,830	50,313	370,143	347,896*	51,655	399,551*
C-Lugs and cutters:						
Choice to fine	103,745	11,554	115,299	118,094	10,703	128,797
Medium or good	120,117	12,752	132,869	135,939	14,583	150,522
Fair to common	96,653	28,437	125,090	109,068	30,170	139,238
Total	320,515	52,743	373,258	363,101	55,456	418,557
X-Granulators or flyings:						
Choice to fine	43,230	2,696	45,926	50,805	2,184	52,989
Medium or good	52,901	6,415	59,316	63,356	6,239	69,595
Fair to common	61,256	3,925	65,181	68,726	5,215	73,941
Total	157,387	13,036	170,423	182,887	13,638	196,525
S-Scrap	6,274	7,014	13,288	6,910*	6,486	13,396*
N-Nondescript	1,452	2	1,454	1,992	2	1,994
Total all groups	807,637	123,108	930,745	905,172*	127,237	1,032,409*

^{1/} Subject to revision.

Table 6.-Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers, July 1, 1947 1/

REPORTED WEIGHT

Type name	U.S. type number	Reported as owned by manufacturers 2/			Reported as owned by dealers 2/			Combined totals
		Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total	
		1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Old and Middle Belt flue-cured	11	296,403	69,960	366,363	64,505	4,157	68,662	435,025
Eastern North Carolina flue-cured	12	242,677	67,428	310,105	26,736	6,546	33,282	343,387
South Carolina flue-cured (including Southeastern N. C.)	13	162,058	30,331	192,389	17,518	2,807	20,325	212,714
Georgia and Florida flue-cured	14	18,008	63,995	82,003	3,065	2,821	5,886	87,889
Total flue-cured	11-14	719,146	231,714	950,860	111,824	16,331	128,155	1,079,015
Virginia fire-cured	21	14,793	391	15,184	6,470	47	6,517	21,701
Tennessee and Kentucky fire-cured (Eastern District)	22	50,190	168	50,358	42,361	182	42,543	92,901
Kentucky and Tennessee fire-cured (Western District)	23	14,066	147	14,213	22,551	44	22,595	36,808
Henderson Stemming	24	65	25	90	52	-	52	142
Total fire-cured	21-24	79,114	731	79,845	71,434	273	71,707	151,552
Burley	31	625,122	112,095	737,217	182,515	11,013	193,528	930,745
Southern Maryland	32	13,126	9,684	22,810	7,878	187	8,065	30,855
Total light air-cured	31-32	638,248	121,779	760,027	190,393	11,180	201,573	961,600
One Sucker	35	23,075	738	23,813	18,042	15	18,057	41,870
Green River	36	18,776	1,224	20,000	7,330	2	7,332	27,332
Virginia Sun-cured	37	2,918	414	3,332	667	-	667	3,999
Total dark air-cured	35-37	44,769	2,376	47,145	26,039	17	26,056	73,201
Pennsylvania Seedleaf	41	78,662	5,716	84,378	15,382	313	15,695	100,073
Gebhardt (Ohio-Miami Valley)	42	10,769	871	11,640	1,414	3	1,417	13,057
Zimmer (Ohio-Miami Valley)	43	4,437	762	5,199	612	10	622	5,821
Dutch (Ohio-Miami Valley)	44	1,914	115	2,029	1,281	66	1,347	3,376
Puerto Rican 3/	46	4,474	26,436	30,910	21,655	6,115	27,770	58,680
Total cigar filler	41-46	100,256	33,900	134,156	40,344	6,507	46,851	181,007
Connecticut Broadleaf	51	18,893	641	19,534	9,214	31	9,245	28,779
Connecticut Havana Seed	52	14,138	475	14,613	3,708	6	3,714	18,327
N. Y. and Pa. Havana Seed	53	2,383	65	2,448	50	-	50	2,498
Southern Wisconsin	54	27,775	1,256	29,031	6,637	12	6,649	35,680
Northern Wisconsin	55	31,125	582	31,707	8,217	-	8,217	39,924
Georgia and Florida sun-grown	56	227	6	233	4	-	4	237
Total cigar binder	51-56	94,541	3,025	97,566	27,830	49	27,879	125,445
Connecticut shade	61	6,373	200	6,573	2,228	3	2,231	8,804
Georgia and Florida shade	62	1,547	79	1,626	1,117	1	1,118	2,744
Total cigar wrapper	61-62	7,920	279	8,199	3,345	4	3,349	11,548
Eastern Ohio	71	9	5	14	41	1	42	56
Perique	72	-	385	385	-	84	84	469
Other Miscellaneous Domestic 4/	73	20	1,686	1,706	99	9	108	1,814
Total Miscellaneous Domestic	71-73	29	2,076	2,105	140	94	234	2,339
Cuba (Havana)	81	5,604	22,811	28,415	204	2,725	2,929	31,344
Sumatra and Java 5/	82	851	5	856	165	-	165	1,021
Philippine Islands (Manila)	83	568	28	596	8	-	8	604
Other foreign-grown cigar-leaf	84	27	1	28	34	1	35	63
Total foreign-grown cigar-leaf	81-84	7,050	22,845	29,895	411	2,726	3,137	33,032
Foreign-grown cigarette and smoking tobacco (Turkish & other)	90	106,037	-	106,037	15,481	-	15,481	121,518
Total all types	11-90	1,797,110	418,725	2,215,835	487,241	37,181	524,422	2,740,257

1/ These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners subject to provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress. The quantities owned by dealers and manufacturers have been tabulated separately on a type total basis. Figures are as reported to date; no revisions of this table will be made.

2/ The quantities shown as owned by manufacturers include tobacco which is held under dealer registries of manufacturers and also tobacco held by dealers and known to be purchased on order for foreign or domestic manufacturers. The quantities shown as owned by dealers may include some tobacco held by dealers which is earmarked for sale to domestic manufacturers or for export. The table should therefore be considered as representing only the approximate quantities owned respectively by dealers and manufacturers.

3/ Includes stocks on the Island of Puerto Rico.

4/ For explanation of stocks included in this classification see footnote 6 on page 14.

5/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.

Table 7.-Stocks of leaf tobacco owned by dealers and manufacturers, summary by types, July 1, 1947 compared with other quarters ^{1/}

REPORTED WEIGHT

Type name	U.S. type number	July 1, 1947 Unstemmed	July 1, 1947 Stemmed	July 1, 1947 Total	April 1, 1947	July 1, 1946	April 1, 1946
		1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Old and Middle Belt flue-cured	11	360,908	74,117	435,025	513,915*	359,568	461,616
Eastern North Carolina flue-cured	12	269,413	73,974	343,387	421,470*	320,383	421,763
South Carolina flue-cured (including Southeastern N.C.)	13	179,576	33,138	212,714	256,899	187,496	253,795
Georgia and Florida flue-cured	14	21,073	66,816	87,889	106,181*	90,150	114,496
Total flue-cured	11-14	830,970	248,045	1,079,015	1,298,465*	957,597	1,251,670
Virginia fire-cured	21	21,263	438	21,701	23,709	17,839	21,758
Tennessee and Kentucky fire-cured (Eastern District)	22	92,551	350	92,901	92,200*	75,537	82,931
Kentucky and Tennessee fire-cured (Western District)	23	36,617	191	36,808	36,477*	23,065	27,907
Henderson Stemming	24	117	25	142	146	76	69
Total fire-cured	21-24	150,548	1,004	151,552	152,532*	116,617	132,665
Burley	31	807,637	123,108	930,745	1,032,410*	831,499	938,845
Southern Maryland	32	21,004	9,851	30,855	22,707	33,163	34,626
Total light air-cured	31-32	828,641	132,959	961,600	1,055,117*	864,662	973,471
One Sucker	35	41,117	753	41,870	47,639*	37,346	40,426
Green River	36	26,106	1,226	27,332	29,392	23,738	27,894
Virginia sun-cured	37	3,585	414	3,999	4,236	3,003	3,683
Total dark air-cured	35-37	70,808	2,393	73,201	81,267*	64,087	72,003
Pennsylvania Seedleaf	41	94,044	6,029	100,073	104,439*	103,537	107,024
Gebhardt (Ohio-Miami Valley)	42	12,183	874	13,057	13,393*	13,307	15,032
Zimmer (Ohio-Miami Valley)	43	5,049	772	5,821	6,256	8,690	9,214
Dutch (Ohio-Miami Valley)	44	3,195	181	3,376	3,732	3,476	4,195
Puerto Rican:							
In United States	46	4,540	27,712	32,252	34,526*	30,375	28,378
In Puerto Rico	46	21,589	4,839	26,428	20,981*	34,585	20,260
Total cigar filler	41-46	140,600	40,407	181,007	185,327*	193,970	184,103
Connecticut Broadleaf	51	28,107	672	28,779	29,770*	24,807	28,881
Connecticut Havana Seed	52	17,846	481	18,327	21,474*	18,456	20,804
N. Y. and Pa. Havana Seed	53	2,433	65	2,498	2,693*	2,116	2,729
Southern Wisconsin	54	34,412	1,268	35,680	32,643*	34,696	39,260
Northern Wisconsin	55	39,342	582	39,924	37,079*	29,278	34,696
Georgia and Florida sun-grown	56	231	6	237	288	123	148
Total cigar binder	51-56	122,371	3,074	125,445	123,947*	109,276	126,518
Connecticut shade	61	8,601	203	8,804	10,750*	8,833	10,678
Georgia and Florida shade	62	2,664	80	2,744	3,643*	3,012	4,671
Total cigar wrapper	61-62	11,265	283	11,548	14,393*	11,845	15,649
Eastern Ohio	71	50	6	56	55	77	76
Perique	72	-	469	469	534*	540	590
Other Miscellaneous Domestic ^{3/}	73	119	1,695	1,814	1,910	1,168	870
Total Miscellaneous Domestic	71-73	169	2,170	2,339	2,499*	1,785	1,536
Cuba (Havana)	81	5,808	25,536	31,344	30,971*	20,706	22,287
Sumatra and Java ^{4/}	82	1,016	5	1,021	1,030	1,423	1,782
Philippine Islands (Manila)	83	576	28	604	439	7	11
Other foreign-grown cigar-leaf	84	61	2	63	142*	137	251
Total foreign-grown cigar-leaf	81-84	7,461	25,571	33,032	32,582*	22,273	24,331
Foreign-grown cigarette and smoking tobacco (Turkish and other)	90	121,518	-	121,518	112,734*	95,110	85,491
Total all types	11-90	2,284,351	455,906	2,740,257	3,056,863*	2,437,122	2,867,437

^{1/} These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners, except (a) the original growers of tobacco; (b) manufacturers who in the first three quarters of 1946, according to the returns of the Commissioner of Internal Revenue, manufactured less than 35,000 pounds of tobacco, less than 185,000 cigars, or less than 750,000 cigarettes, pursuant to the provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress.

^{2/} Subject to revision.

^{3/} For explanation of stocks included in this classification see footnote 6 on page 14.

^{4/} Does not include Sumatra and Java leaf stored in the Free Trade Zone.

* Revisions in April 1 report.

